

**Embassy of India  
Ulaanbaatar**

\*\*\*\*\*

**No.ULA/ADM/885/01/2024**

**Dated March 13, 2025**

**Tender for supply, Installation, Testing & Commissioning of one silent Diesel Generator Set  
for Embassy of India, Ulaanbaatar**

Embassy of India, Ulaanbaatar invites competitive bids from manufacturers/authorized dealers/reputed suppliers having their registered office and service centre in Ulaanbaatar, for supply, installation, testing and commissioning of 01 (one) 125 KVA Silent Diesel Generator Sets of reputed make (CUMMINS / KIRLOSKAR / KOHLER / MITSUBISHI/CROMPTON GREAVES OR EQUIVALENT) for Embassy of India, Ulaanbaatar.

2. Firms must have maintenance and servicing facilities of generator set in Mongolia. The representative of firms/suppliers may visit the site, for assessment of the requirements and formulation of the quotation, by taking prior appointment from Embassy of India, Ulaanbaatar. Clarifications, if any, regarding the tender document or contents therein may be sought by e-mail ([hoc.ulaan@mea.gov.in](mailto:hoc.ulaan@mea.gov.in)).

3. A brief terms & conditions, scope of work, schedule of quantities and proforma for submission of quotations are enclosed. The supplier shall sign every page of documents and submit the sealed envelope to Head of Chancery, Embassy of India, street-8, 7th khoro, Sukhbaatar district, Ulaanbaatar-14190, Mongolia Post box 691. The tender document can be downloaded from the following websites or could be obtain from HOC, Ulaanbaatar (E-mail: [hoc.ulaanbaatar@mea.gov.in](mailto:hoc.ulaanbaatar@mea.gov.in) )

<https://eoi.gov.in/ulaanbaatar/>  
[www.eprocure.gov.in](http://www.eprocure.gov.in)

4. Schedule for submission/opening of bids:

Bid submission (start date)	:	17.03.2025 (0900 hrs)
Bid submission (end date)	:	07.04.2025 (1700 hrs)
Bid Opening date (Technical)	:	08.04.2025 (1100 hrs)
Bid Opening date (Financial)	:	08.04.2025 (1600 hrs)

5. The bids will be accepted only upon verification and fulfillment of the eligibility criteria mentioned in the tender document. The contract shall be awarded to technically qualified lowest bidder, however, the Embassy is not bound to accept the lowest tender and reserves the right to partially accept or reject any or all the tender (s) or part thereof, without assigning any reasons. The bidder should maintain the Secrecy/Confidentiality on the Tender.

-Sd/-

**(Sanjeev Kumar)**  
**Head of Chancery (HOC)**  
**Tel. No. +976 9990 8534**

# TECHNICAL BID

Annexure-I

## PART-I

### (TECHNICAL BID)

#### (Section A to N)

Name of the firm	
Registered Office Address Telephone No. Email Fax	
Correspondence/ Contact Address	
Details of Contact Person(Name, designation, address, mobile no., email)	
Registration No. & Date of Incorporation of Company <b>(Please attach a copy incorporation certificate):</b>	
Type of Firm (whether PSU/ Proprietary/ Partnership etc.)	
Whether manufacturer / authorized distributor /supplier <b>[letter from manufacturer to be submitted]</b>	
Whether maintenance, service facilities and spare parts of the generator of said brand are available in Mongolia	

Signature of Contractor/bidder  
(Name of the contractor/bidder of the firm authorised to sign with seal)  
Date:\_\_\_\_\_

# TECHNICAL BID

Annexure-I (A)

## PART-I

### COMMERCIAL TERMS & CONDITIONS

#### A. FORM OF TENDER

To,  
Head of Chancery  
Embassy of India,  
Ulaanbaatar, Mongolia,

Dear Sir,

Having examined the specifications, and schedule of quantities relating to the works specified in tender document hereinafter set out and having visited and examined the site of the works specified in the said document having acquired the requisite information relating there to as affecting the tender, we hereby offer to supply and execute the works specified in the said tender document, within the time specified at the rates mentioned in the attached schedule of quantities and in all respects with the specifications, designs and instructions in writing referred to in conditions of tender.

I.	Description of work	Supply, installation, testing and commissioning of 01 (One) 125 KVA Silent Diesel Generator Set with acoustics enclosure and related accessories
II.	Time allowed for completion of the work from tenth day after the date of written order to complete work commission final operations.	3 months. In case of delay, penalty of 0.10% per day will be imposed.

2. Should this tender be accepted, we hereby agree to abide by and fulfills the terms and conditions of the tender so far as they may be applicable.

3. We are enclosing herewith list of our clients with complete details as per the Embassy's proforma.

5. The Tender is submitted in two parts in separate sealed envelopes. **Part-1** contains all commercial terms and conditions and technical particulars and **Part-2** contains only the Price/Financial Bid in the Embassy's proforma.

6. We have visited the site and gone through the terms & conditions stipulated in the tender document and confirm to abide by the same.

Regards,

Yours faithfully

Signature of Contractor/bidder  
(Name of the contractor/bidder of the firm authorised to sign with company seal)

Date: \_\_\_\_\_

(Signatures, Name, addresses, Mobile No. of witnesses)

# **TECHNICAL BID**

**Annexure-I (B)**

## **PART-I**

### **B. Proforma for list of clients**

<b>S.N o</b>	<b>Details</b>	<b>Name of Client (1)</b>	<b>Name of Client (2)</b>	<b>Name of Client (3)</b>
<b>1.</b>	Address, fax and telephone numbers			
<b>2.</b>	Project name, location and address			
<b>3.</b>	Brief details of the work [ <b>Please enclose copy of Work /Purchase Order</b> ]			
<b>4.</b>	Value of work as completed			
<b>5.</b>	Date of award of contract			
<b>6.</b>	Date of completion of work			
<b>7.</b>	Details of Service & Maintenance Work			
<b>8.</b>	Testimonials	As many clients		

# **TECHNICAL BID**

**Annexure-I (C)**

## **C. TERMS & CONDITIONS**

1. Only those OEM's (Original Equipment Manufacturers) and authorised dealers/suppliers of Silent DG Set, who have minimum 03 years of experience in the field of undertaking similar works for Government/Banks/Reputed Companies and who fulfil the following pre-qualification criteria are eligible to participate in tender:
  - a) Minimum 03 years of experience in undertaking similar nature of works
  - b) Minimum yearly turnover of at least 7.5 million Indian Rupees during last 03 financial years supported by audited financial statements. The bidder should not have incurred any financial loss for more than one year during the last three years ending on **date of tender**
  - c) Service and Maintenance facilities of said brand in Ulaanbaatar, Mongolia.
  - d) Strong testimonials on service guaranty by clients in Ulaanbaatar, Mongolia.
  - e) Replacement Guarantee of 1 year. The vendor shall replace the DG Set in case if any major problem occurs within 1 year from the date of handing over of DG Set.
  - f) Submission of OEM Authorization/MAF certificate by prospective bidders.
  - g) Bidder shall provide 'free-of-cost' maintenance during guarantee period.
  - h) Rates shall remain same during entire period of contract including AMC.
2. Bidders should submit copies of 3 Work Orders indicating scope and value of Purchase Orders for the supply & Installation of Silent DG Sets and completion certificate for the qualifying works.
3. Bids submitted by a firm who is found to be not satisfying the above criteria will be rejected.
4. The bidders should inspect the site on any working day before submitting the bids.
5. The last date of submission of sealed bid offer as mentioned above is 07.04.2025 **(1700 hrs)**. The sealed envelope addressed to **Head of Chancery, Embassy of India, Ulaanbaatar street-8, 7th khoroo, Sukhbaatar district, Ulaanbaatar-14190, Mongolia Post box 691.** may be submitted at the Reception during the working hours on or before the last date & time.
6. In the first stage, only technical bids will be opened for evaluation and Financial Bids of only those bidders whose technical bids are acceptable/ qualified will be opened after evaluation of technical bid. The representatives of the bidders, if they wish, may remain present while opening of the technical bids and financial bids.
7. All the pages/documents of the bid should bear the signature of the bidder with date. All the entries by the bidder should be in one ink & legibly written. Any over-writing corrections & cuttings should bear dated initials of the bidder. Corrections should be made by writing-again instead of shaping or over-writing.
8. Rates should be quoted both in figures as well as in words. In case the rates quoted in words & figures are at variance, the rates written in words will be taken as final.
9. Embassy of India, Ulaanbaatar reserves the right to reject or accept any or all application(s) without assigning any reasons and to restrict the list of pre-qualified agencies to any number deemed suitable by it. Bids incomplete in any form are liable to be rejected outright.
10. Finalization of any bid is the sole discretion of the Embassy of India, Ulaanbaatar. Embassy of India, Ulaanbaatar reserves the right to modify the tender document or any other condition.

# TECHNICAL BID

Annexure-I (D)

## **D. INSTRUCTIONS FOR SUBMISSION OF BID**

1. Bid should be submitted in two covers system viz; separate sealed **Envelope-1** for Technical Bid and **Envelope-2** for Price Bid. Both Technical & Price bid envelopes should be placed in one larger envelope duly superscribing the name of the work "SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF 01 (ONE) 125 KVA SILENT DIESEL GENERATOR SET WITH ACOUSTICS ENCLOSURE AND RELATED ACCESSORIES IN EMBASSY OF INDIA, ULAANBAATAR" written prominently. The full name, postal address and phone/ Fax of the Bidder shall be written on the bottom left hand corner of each of the sealed envelopes. Further, envelopes containing each part shall be superscripted as under:-

<b>Envelope 1</b>	:	<b>Technical Bid</b>
<b>Envelope 2</b>	:	<b>Financial Bid</b>

2. The ORIGINAL bid shall be duly marked on the Envelopes. PRICE BID NEEDS TO BE SUBMITTED WITH ORIGINAL BID ONLY.

3. **Envelope –1:** The first cover shall be submitted along with the following documents and the cover should be superscripted with "**ENVELOPE-1: TECHNICAL BID FOR** "SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF 01 (ONE) 125 KVA SILENT DIESEL GENERATOR SETS WITH ACOUSTICS ENCLOSURE AND RELATED ACCESSORIES IN EMBASSY OF INDIA, ULAANBAATAR".

4. The technical proposal shall include the following for evaluation of technical bids:

- a) Information and documentary proof of experience, financial resources etc
- b) Declaration as required as per instructions to Bidders
- c) Copy of Original bid document duly filled in and completed in all respects except prices, signed with rubber seal on each page as a proof of acceptance
- d) Signed declaration stating that no alteration has been made in any form in the downloaded tender document
- e) Signed declaration stating that Bidder have not been banned or de-listed by any Govt. or quasi Govt. agency or Public Sector Undertaking
- f) Declaration stating the acceptance of payment terms of "General Conditions of the Contract".
- g) Copy of Duly filled "Tender Form".
- h) Copy of Bidders company Registration Certificate
- i) Copy of background of the organization with respect to similar experience and brief description of projects recently undertaken in the relevant field
- j) Copies of similar Work orders / performance certificates / job completion certificates for each individual item for which the bid is submitted, issued by the client during the past 3 years, for evaluation of financial & technical capabilities of the bidders. Work orders / performance certificates / job completion certificates shall be in the name of bidder only
- k) Undertaking to commence the work as per tender document
- l) The bidder shall furnish the details of Bank account for release of payment through electronic fund transfer system
- m) The Envelope-1 shall not contain any information on price. Bids containing price in Envelope-1 will be liable for rejection
- n) **Envelope-2:** The second cover shall be submitted along with the following documents and the cover should be superscribed with "**ENVELOPE-2: PRICE BID (Price Bid) SUPPLY, INSTALLATION, TESTING AND COMMISSIONING OF 01 (ONE) 125 KVA SILENT DIESEL GENERATOR SETS WITH ACOUSTICS ENCLOSURE AND RELATED ACCESSORIES IN EMBASSY OF INDIA, ULAANBAATAR**" and shall contain; Schedule of Prices duly filled in the specified form, i.e. "Bill of Quantities", It may please be noted that this part shall not contain any terms, conditions or deviations. Any condition given in the price bid (Envelope-2) will be a sufficient cause for rejection of bid. Prices quoted by the Bidder shall remain firm and fixed and valid till the validity time.

# **TECHNICAL BID**

## **Annexure-I (E)**

### **E. SCOPE OF WORK**

1. The scope of work of the bidder in brief is enumerated below:
  - a) Supplying, installation, testing and commissioning of one-125 KVA DG Set, with complete acoustic enclosure, circuit breaker, battery pack, base fuel tank, display screen with analogical values and **AMF/ATS panel**.
  - b) All Civil Works, **if required** for the preparation of Platform (PCC foundation of appropriate size at least 9 inches above the ground, length and width of the Foundation should be atleast 200mm to 400mm more than that of the DG set size to ensure the least vibration, foundation must be rigid) necessary for the installation of the Silent DG Sets.
  - c) Proper earthing required for the installation of Silent DG Sets and protection of equipment and Human being. Copper/GI plate earthing with Copper/GI plate of minimum size 600\*600\*3 mm and Copper/GI strip of size 25\*3 mm laid in ground at a depth of 12 feet complete with Charcoal, Salt and Manhole cover etc.
  - d) Supply, installation and testing of Changeover and other electrical fittings, cables etc. required for the installation of DG Sets
  - e) Arrangement of equipment, tool and tackles and scaffolding material for installation of the equipment at site at the cost of bidder.
  - f) Required quantity of lubricant and coolant are to be arranged by bidder at the cost of bidder till commissioning and handing over the system and during the guarantee period of one year.
  - g) Submission of guarantee certificate and test certificates of the manufacturer.
  - h) Installation of exhaust pipes with suitable insulation up to the required level of the building as required by the concerned statutory authorities.
  - i) Cleaning and removal of all unused / wastage material from the site immediately after handing over the equipment.
  - j) AMC is required after the guarantee period of one year is over, and AMC contract amount shall be paid on quarterly basis on rendering satisfactory service Per Annum. In case unsatisfactory services during AMC period, a penalty of 0.10% of the cost of the Generator, will be imposed.
  - k) AMC includes, regular checks of the oil level, air filter, radiator, belts, hoses, clamps, battery charge level and charging system, and wiring etc. with option of Change oil, Change oil filter, fuel filter, and air filter, Flush cooling system, Inspect wiring/electrical system, Change spark plugs, Test transfer switch, Lubrication Service, Cooling System checking, Fuel System checking, Testing Batteries.
3. The bidder shall, at their own expense, arrange for safety provisions as per safety codes and Rules, Regulations and Laws as may be applicable, in respect of all labour, directly or indirectly employed in the work. Compliance with applicable local labour & other laws shall be the sole responsibility of service provider.
4. The bidder shall not assign the contract or any part thereof without the prior written consent /approval of the Embassy of India, Ulaanbaatar.

# **TECHNICAL BID**

## **Annexure-I (F)**

### **F. DOCUMENTATION:**

1. 2 set of following documents shall be provided by the manufacturer / supplier with the following:-

- O& M Manual of Diesel Engine
- Spare parts list of Diesel Engine
- Test Certificate of Diesel Engine
- Test certificate of Alternator
- Test Certificate of D.G. Set

## **Annexure-I (G)**

### **G. VALIDITY OF BID:**

- a) The offer should be valid for a minimum period of **120 days** from the date of opening of technical bid.

## **Annexure-I (H)**

### **H. PAYMENT SCHEDULE:**

- I. 50% of total amount after dispatch of DG Set from the premises of the manufacturer/seller.
- II. 45% after successful testing and successful commissioning the DG set.
- III. Remaining 5% will be released on completion of replacement guarantee period of 1 year from the date of handing over of DG set.
- IV. The bills complete in all respect should be presented to the Embassy and payment of the bills will be made after scrutinizing and verifying the bills within a period of 15 days from the date of receipt of the bills.
- V. Payment will be made in Local Currency/Indian Rupees by bank transfer only. Successful bidder shall provide Bank Details along with the bills.

## **Annexure-I (I)**

### **I. FORCE MAJEURE:**

1. Any delay due to Force Majeure will not be attributable to the bidder. Force Majeure events shall mean one or more of the following acts or events: Acts of God or events beyond the reasonable control of the Affected Party which could not reasonably have been expected to occur, exceptionally adverse weather conditions, lightning, earthquake, cyclone, flood, volcanic eruption or fire or landslide; Radioactive contamination or ionizing radiation; Strikes or boycotts (other than those involving the Supplier or its employees / representatives or attributable to any act or omission of any of them) interrupting supplies and services of the Project for a period exceeding a continuous period of 7 (seven) days; An act of war (whether declared or undeclared), invasion, armed conflict or act of foreign enemy, blockade, embargo, riot, insurrection, terrorist or military action, civil commotion or politically motivated sabotage which prevents rendering of supplies or specified services by the Supplier for a period exceeding a continuous period of 7 (seven) days.

## **Annexure-I (J)**

### **J. ARBITRATION AND LAWS:**

1. In case of any dispute or difference arising out of or in connection with the tender conditions / order and Contract, the Institute and the Supplier will address the dispute / difference for a mutual resolution and failing which, the matter shall be referred for arbitration to a sole Arbitrator to be appointed by the Embassy. The Arbitration shall be held in accordance with the provisions of the Arbitration and Conciliation Act, 1944 and the venue of arbitration shall be at Ulaanbaatar, Mongolia only. The resolution of the Arbitrator shall be final and binding on both the parties. The parties will not have recourse to Civil Court to settle any of their disputes arising out of this agreement except through arbitration.



# TECHNICAL BID

Annexure-I (K)

## K. TECHNICAL PARTICULARS

S.No.	Item Description	For 125 KVA Generator
1.	<b>Engine</b> Make  Model Number  Type  Type of cooling system  Type of silencer  Fuel tank capacity  Shaft HP at 1500 RPM  Type of Governor  Fuel consumption at full load/hour	
	<b>Alternator</b> Make  Model Number  Frame Size  Rated Voltage  Capacity in KVA  Excitation  % Regulation  Type of Enclosures  Class of insulation for winding	
	<b>Batteries</b> Make  Voltage	

	Capacity in Amp. Hour	
	Whether stand included or not	
	<b>Coupling</b> Type	
	Whether guard provided or not	
	Whether base plate is included or not	
	<b>Dia of exhaust Pipe</b> - Thickness of exhaust Pipe  - Thickness and type of  - Exhaust pipe insulation	
	List of tools normally supplied with the engine & alternator, free of cost. <b>(Please enclose details in separate annexure)</b>	
	List of spares normally supplied along with the engine & alternator, free of cost. <b>(Please enclose details in separate annexure)</b>	

# **TECHNICAL BID**

**Annexure-I (L)**

## **L. CHECK LIST:**

<b>S.No</b>	<b>Description</b>	<b>Embassy's Terms</b>	<b>Whether acceptable or not</b>
<b>1.</b>	Validity of offer	Shall be valid for 120 days from the date of opening of financial bid	
<b>2.</b>	Completion Period	3 months from 10th day after the date of issue of Purchase Order	
<b>3.</b>	Guarantee	All equipment shall be guaranteed for a period of one year from the date of Handing over. Please indicate service facility available at Mongolia	
<b>4.</b>	Terms of Payments	(a) 50% after dispatch of DG set from the premises of manufacturer / seller (b) 45% after successful testing and commissioning the DG set. (c) Remaining 5% will be released on completion of guarantee period.	

Signature of Contractor/bidder  
(Name of the contractor/bidder of the firm authorised to sign with seal)  
Date: \_\_\_\_\_

**Note:** - Please indicate Yes/No against the items. If No, please indicate the deviation from the stipulated clause.

# **FINANCIAL BID**

**Annexure-II**

**Embassy of India  
Ulaanbaatar  
\*\*\*\*\***

**No. ULA/ADM/885/01/2024**

**Dated March 13, 2025**

**Tender for supply, Installation, Testing & Commissioning of Diesel Generator Set for  
Embassy of India, Ulaanbaatar**

## **PART-II (FINANCIAL / PRICE BID)**

Name of the Tenderer

:

Address

:

Telephone Number

:

E-mail

:

Date of Submission

:

# **FINANCIAL BID**

**Annexure-II (A)**

**Embassy of India  
Ulaanbaatar  
\*\*\*\*\***

**No. ULA/ADM/885/01/2024**

**Dated the March 13, 2025**

**Tender for supply, Installation, Testing & Commissioning of 01-125 KVA Diesel Generator Sets for Embassy of India, Ulaanbaatar**

## **PART-II**

### **(FINANCIAL / PRICE BID) (SCHEDULE OF QUANTITIES)**

S. No	Decription	Quantity	Rate (INR/ MNT)	Unit	Rate (INR/ MNT)
1.	<p>Supply, installation in position, testing, commissioning and handing over of silent diesel generator sets of capacity of 01 (one) number of 125 KVA, 3 phase, 415 volts, 50Hz (100 KW at 0.8 PF lag) complete with diesel engine with radiator, (water cooled) along with self starting device, batteries, battery charger, engine panel, base frame, anti-vibration mounts, diesel tank, AMF/ATS panel and all connected accessories including standard set of tools and spares (to be supplied at free of cost) complete as described in detailed technical specifications. The amount quoted shall be inclusive of the following:</p> <p>a) Unit Set Price b) Freight &amp; Insurance Charges till site c) Complete Installation, Testing &amp; Commissioning along with the AMF/ATS Panel. Including obtaining approval of authorities, if any. d) Cost of consumable like diesel, lubricant, oil, etc. for testing and commissioning of set (approx.16 hours)</p>				
2.	<p>Supply and laying of 120 sq.mm. 04 (four) core UGC armoured power cable, XLPE, aluminium × 1 run conductor cable to be laid on wall/ceiling/trench with required materials complete as directed between alternator terminals and AMF control panel etc. complete as per specifications and as directed</p>	<p>Indicate requirements on the basis of prior visit by the representatives of firm/contractor</p>			
3.	<p>Termination of 120 sq.mm. 04 (four) core UGC armoured power cable, XLPE, aluminium × 1 run conductor cable between DG set alternator</p>	<p>Indicate requirements on the basis of prior visit by the</p>			

	and AMF/ATS control panel with required materials such as aluminium lugs, heavy duty compression type brass gland, insulating tapes, chromium plated nut and bolts etc. complete, <b>(if required)</b>	representatives of firm/contractor			
4.	Supply and laying of 120 sq.mm. 04 (four) core UGC armoured power cable, XLPE, aluminium × 1 run for main line sensing to be laid on wall/ceiling/trench with required materials complete as directed between main ACB terminals (Substation) and AMF control panel (DG Room) etc. complete as per specifications, <b>(if required)</b>	----do----			
5.	Supply and laying of 120 sq.mm. 04 (four) core UGC armoured power cable, XLPE, aluminium × 1 run for load to be laid on wall/ceiling/trench with required materials complete as directed between outgoing load of AMF control panel terminal to Busbar via suitable recommended rating of “two ways changeover switch” as per specifications, <b>(if required)</b>				
6.	Supply and laying of 120 sq.mm. 04 (four) core UGC armoured power cable, XLPE, aluminium × 1 run between DG Set output and AMF control panel terminal	----do----			
7.	Supplying and laying of control panel cable 2.5 sq mm 10 core (Cu.) between DG Set alternator with AMF/ATS control panel along with copper link.	----do----			
8.	Cost of providing Earth Station with Copper Plates 600 x 600 x 3.14 mm embedded at least at a depth of 12 feet and filling of alternate layers of charcoal, salt and making a 300 mm x 300 mm chamber (brick masonry) with chequered MS sheet cover, funnel, water pipe including supply & laying of 25 mm x 3 mm Copper Earth Strip up to the test point, <b>(if required as old earthing exists)</b>	----do----			
9.	Supply and Fixing of 25 mm x 3 mm Copper Earth Strip with required materials such as brass clamps, screws, spacers and with riveted joints and connections with chromium plated nut and bolts complete, <b>(if required)</b>	----do----			
10.	Supply and installation of insulated MS exhaust piping of suitable dia for 125 KVA DG set as recommended by the manufacturer of the diesel engine with thermal insulation by using glass wool and covering with aluminium sheet complete with	----do----			

	required materials such as supports etc.as directed (NB – size of the pipe proposed may be please be indicated). Size -----mm dia, <b>(if required)</b>				
11.	Fabricating, providing and installing at site acoustic enclosure suitable for 75dBA within 1m for DG set as per specification indicated in tender part-I, <b>(if required)</b>	----do----			
12.	Cost for installation of New AMF/ATS Panel suitable for silent DG set				
13.	AMC per annum valid for five (05) year after the guarantee period of one year is over,  (a) Comprehensive with spares (b) Without spares  Annual Maintenance Contract amount shall be paid on quarterly basis on rendering satisfactory service Per Annum				
	<b>Total (in figures)</b>				
	<b>Total (in words)</b>				

#### **Declaration**

1. This is certified that the rates quoted above are not more than the rates charged from any other Institution / Department / Organization.
2. I / We have gone through the terms & conditions stipulated in the tender document and confirm to abide by the same.
3. No other charges would be payable by the Embassy of India, Ulaanbaatar.

Signature of Contractor/bidder  
(Name of the contractor/bidder of the firm authorised to sign)

Place:  
Date:

**[NOT TO MENTION PRICE OR AMOUNT IN TECHNICAL BID DOCUMENT]**